

BarnColor

-SIMPLICITY TO PERFECTION

is the **new solution** for transmitting your video, audio and data signals.





- **✓** Cost effective solution
- **☑** Easy to use
- **☑** No Latency
- ✓ Plug & Play
- **☑** No Compression
- **☑** Small form

THE CONCEPT

Each **BarnColor** unit is available as SDI or Ethernet version and can cascade maximum 4 boxes (colors) on each side. The boxes can be combined in any variation as long as color is different.

Maximum transmission distance – medium range (approx. 40km) with a minimum of latency – speed of light. Equipped with rugged connectors.



BarnColor - 4xEth w/PoE

Technical Specifications

RJ45-Ports

- 10Mbit/s 100Mbit/s 1000Mbit/s
- PoE 15W per port

Fiber port

 Neutrik opticalCON DUO LITE, also compatible with duplex Single Mode fiber LC-LC

Power plug

- Neutrik powerCON 20 A
- 100-240VAC, 15Watt

Physical size

- 223mm x 277mm x 44mm (8.8" x 10.9" x 1.7")
- 1.4 kg



- Ethernet
- Audio (Dante, Ravenna etc.)
- KVM
- NDI
- Video Wall
- PTZ



BarnColor - 4x3GSDI



- · SD, HD, 3G SDI
- MADI
- · AES/EBU
- SDTI
- · ASI

Technical Specifications



BNC-Ports

- SMPTE 259M, 292M, 372M, 424M, DVB-ASI
- Multirate reclocking of outputs 270Mbps 3Gbps

Fiber port

- · Neutrik opticalCON DUO LITE, also compatible with duplex Single Mode fiber LC-LC
- SMPTE 297M

Power plug

• Neutrik powerCON 20 A • 100-240VAC, 15Watt

Physical size

- 223mm x 277mm x 44mm (8.8" x 10.9" x 1.7")
- 1.4 kg

BarnColor - 4x12GSDI

Technical Specifications



BNC-Ports

- SMPTE 258M, 292M, 372M, 424M, DVB-ASI, SMPTE ST-2081, ST-2082
- Multirate reclocking of outputs 270Mbps 12Gbps

Fiber port

- Neutrik opticalCON DUO LITE, also compatible with duplex Single Mode fiber LC-LC
- SMPTE 297M

Power plug

• Neutrik powerCON 20 A • 100-240VAC, 15Watt

Physical size


- 223mm x 277mm x 44mm (8.8" x 10.9" x 1.7")
- 1.4 kg



- SD, HD, 3G 12G SDI
- MADI
- AES/EBU
- SDTI
- ASI

Application – Examples

Maximum quantity per link...




All signals, 1 x duplex SM fiber

Designed to be a cost-effective and easy to deploy solution for transmitting multiple video signals both directions on a single fiber cable.


BarnColor allows you to handle up to 32 x 3G-SDI signals (16 forward and 16 returns).

4 different colors can be cascaded / daisy-chained.

This flexible system is easy to install, upgrade and use. It is well suited for both fixed and temporary installations.



... With a variety of signals...




All signals, 1 x duplex SM fiber

Simple to use and easy to set up, we have taken all the complication away from fiber transport setup. – no technical knowledge or experience required.

- · Available as SDI or Ethernet version
- · Cascade maximum 4 boxes (colors) on each side
- Can be combined with any models in different colors
- Maximum transmission distance medium range
- Rugged connectors

... Combined with other product series!



All signals, 1 x duplex SM fiber

Combine BarnColor with other Barnfind products:



- Signal monitoring
- Redundancy switch
- Signal distribution
- · Signal convertion
- 3rd party control
- Alarms



MUX/DeMux







